IN THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1-56. (Canceled)

- 57. (Previously presented) A method for identifying a compound which inhibits the binding of a SLIC-1 protein to PSGL-1, comprising:
 - i) contacting said SLIC-1 protein with a test compound; and
 - ii) determining the effect of the test compound on the binding of said SLIC-1 protein to PSGL-1;

wherein said SLIC-1 protein consists of:

- 1) a SLIC-1 moiety chosen from:
 - (a) amino acids 1-226 of SEQ ID NO:2;
 - (b) amino acids 1-316 of SEQ ID NO:2; and
 - (c) fragments of (a) or (b) that have PSGL-1 binding activity; and
- 2) optionally, at least one heterologous amino acid sequence.
- 58. (Previously presented) A method for identifying a compound which increases the binding of a SLIC-1 protein to PSGL-1, comprising:
 - i) contacting said SLIC-1 protein with a test compound; and
 - ii) determining the effect of the test compound on the binding of said SLIC-1 protein to PSGL-1;

wherein said SLIC-1 protein consists of:

- 1) a SLIC-1 moiety chosen from:
 - (a) amino acids 1-226 of SEQ ID NO:2;
 - (b) amino acids 1-316 of SEQ ID NO:2; and
 - (c) fragments of (a) or (b) that have PSGL-1 binding activity; and
- 2) optionally, at least one heterologous amino acid sequence.

- 59. (Previously presented) The method of claim 57, wherein at least one heterologous sequence is a protein tag.
- 60. (Previously presented) The method of claim 59, wherein said protein tag is a GST tag.
- 61. (Previously presented) The method of claim 59, wherein said protein tag is a T7 tag.
- 62. (Previously presented) The method of claim 57, wherein said SLIC-1 protein consists of amino acids 1-226 of SEQ ID NO:2.
- 63. (Previously presented) The method of claim 57, wherein said SLIC-1 protein consists of amino acids 1-226 of SEQ ID NO:2 and a protein tag.
- 64. (Previously presented) The method of claim 57, wherein said SLIC-1 protein consists of amino acids 1-316 of SEQ ID NO:2.
- 65. (Previously presented) The method of claim 57, wherein said SLIC-1 protein consists of amino acids 1-316 of SEQ ID NO:2 and a protein tag.
- 66. (Previously presented) The method of claim 57, wherein said SLIC-1 protein consists of a fragment of amino acids 1-266 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity.
- 67. (Previously presented) The method of claim 57, wherein said SLIC-1 protein consists of a fragment of amino acids 1-266 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity, and a protein tag.

- 68. (Previously presented) The method of claim 57, wherein said SLIC-1 protein consists of a fragment of amino acids 1-316 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity.
- 69. (Previously presented) The method of claim 57, wherein said SLIC-1 protein consists of a fragment of amino acids 1-316 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity, and a protein tag.
- 70. (Previously presented) The method of claim 58, wherein at least one heterologous sequence is a protein tag.
- 71. (Previously presented) The method of claim 70, wherein said protein tag is a GST tag.
- 72. (Previously presented) The method of claim 70, wherein said protein tag is a T7 tag.
- 73. (Previously presented) The method of claim 58, wherein said SLIC-1 protein consists of amino acids 1-226 of SEQ ID NO:2.
- 74. (Previously presented) The method of claim 58, wherein said SLIC-1 protein consists of amino acids 1-226 of SEQ ID NO:2 and a protein tag.
- 75. (Previously presented) The method of claim 58, wherein said SLIC-1 protein consists of amino acids 1-316 of SEQ ID NO:2.
- 76. (Previously presented) The method of claim 58, wherein said SLIC-1 protein consists of amino acids 1-316 of SEQ ID NO:2 and a protein tag.

- 77. (Previously presented) The method of claim 58, wherein said SLIC-1 protein consists of a fragment of amino acids 1-266 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity.
- 78. (Previously presented) The method of claim 58, wherein said SLIC-1 protein consists of a fragment of amino acids 1-266 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity, and a protein tag.
- 79. (Previously presented) The method of claim 58, wherein said SLIC-1 protein consists of a fragment of amino acids 1-316 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity.
- 80. (Previously presented) The method of claim 58, wherein said SLIC-1 protein consists of a fragment of amino acids 1-316 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity, and a protein tag.
- 81. (New) A method for identifying a compound which inhibits the binding of a SLIC-1 protein to PSGL-1, comprising:
 - i) contacting said SLIC-1 protein with a test compound; and
 - ii) determining the effect of the test compound on the binding of said SLIC-1 protein to PSGL-1;

wherein said SLIC-1 protein consists of:

...

- a SLIC-1 moiety having PSGL-1 binding activity chosen from:
 - (a) an amino acid sequence at least 95% identical to amino acids 1-226 of SEQ ID NO:2;
 - (b) an amino acid sequence at least 95% identical to amino acids 1-316 of SEQ ID NO:2; and
 - (c) fragments of (a) or (b); and
- 2) optionally, at least one heterologous amino acid sequence.

- 82. (New) A method for identifying a compound which increases the binding of a SLIC-1 protein to PSGL-1, comprising:
 - i) contacting said SLIC-1 protein with a test compound; and
 - ii) determining the effect of the test compound on the binding of said SLIC-1 protein to PSGL-1;

wherein said SLIC-1 protein consists of:

- 1) a SLIC-1 moiety having PSGL-1 binding activity chosen from:
 - (a) an amino acid sequence at least 95% identical to amino acids 1-226 of SEQ ID NO:2;
 - (b) an amino acid sequence at least 95% identical to amino acids 1-316 of SEQ ID NO;2; and
 - (c) fragments of (a) or (b); and
- optionally, at least one heterologous amino acid sequence.
- 83. (New) The method of claim 81, wherein at least one heterologous sequence is a protein tag.
- 84. (New) The method of claim 83, wherein said protein tag is a GST tag.
- 85. (New) The method of claim 83, wherein said protein tag is a T7 tag.
- 86. (New) The method of claim 81, wherein said SLIC-1 protein consists of an amino acid sequence at least 95% identical to amino acids 1-226 of SEQ ID NO:2.
- 87. (New) The method of claim 81, wherein said SLIC-1 protein consists of an amino acid sequence at least 95% identical to amino acids 1-226 of SEQ ID NO:2 and a protein tag.
- 88. (New) The method of claim 81, wherein said SLIC-1 protein consists of an amino acid sequence at least 95% identical to amino acids 1-316 of SEQ ID NO:2.

- 89. (New) The method of claim 81, wherein said SLIC-1 protein consists of an amino acid sequence at least 95% identical to amino acids 1-316 of SEQ ID NO:2 and a protein tag.
- 90. (New) The method of claim 81, wherein said SLIC-1 protein consists of a fragment of an amino acid sequence at least 95% identical to amino acids 1-266 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity.
- 91. (New) The method of claim 81, wherein said SLIC-1 protein consists of a fragment of an amino acid sequence at least 95% identical to amino acids 1-266 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity, and a protein tag.
- 92. (New) The method of claim 81, wherein said SLIC-1 protein consists of a fragment of an amino acid sequence at least 95% identical to amino acids 1-316 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity.
- 93. (New) The method of claim 81, wherein said SLIC-1 protein consists of a fragment of an amino acid sequence at least 95% identical to amino acids 1-316 of SEQ iD NO:2, wherein said fragment has PSGL-1 binding activity, and a protein tag.
- 94. (New) The method of claim 82, wherein at least one heterologous sequence is a protein tag.
- 95. (New) The method of claim 94, wherein said protein tag is a GST tag.
- 96. (New) The method of claim 94, wherein said protein tag is a T7 tag.
- 97. (New) The method of claim 82, wherein said SLIC-1 protein consists of an amino acid sequence at least 95% identical to amino acids 1-226 of SEQ ID NO:2.

- 98. (New) The method of claim 82, wherein said SLIC-1 protein consists of an amino acid sequence at least 95% identical to amino acids 1-226 of SEQ ID NO:2 and a protein tag.
- 99. (New) The method of claim 82, wherein said SLIC-1 protein consists of an amino acid sequence at least 95% identical to amino acids 1-316 of SEQ ID NO:2.
- 100. (New) The method of claim 82, wherein said SLIC-1 protein consists of an amino acid sequence at least 95% identical to amino acids 1-316 of SEQ ID NO:2 and a protein tag.
- 101. (New) The method of claim 82, wherein said SLIC-1 protein consists of a fragment of an amino acid sequence at least 95% identical to amino acids 1-266 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity.
- 102. (New) The method of claim 82, wherein said SLIC-1 protein consists of a fragment of an amino acid sequence at least 95% identical to amino acids 1-266 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity, and a protein tag.
- 103. (New) The method of claim 82, wherein said SLIC-1 protein consists of a fragment of an amino acid sequence at least 95% identical to amino acids 1-316 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity.
- 104. (New) The method of claim 82, wherein said SLIC-1 protein consists of a fragment of an amino acid sequence at least 95% identical to amino acids 1-316 of SEQ ID NO:2, wherein said fragment has PSGL-1 binding activity, and a protein tag.